

Series Muffler -- P1

A Type Series Muffler

	Specification	Screw Thread Size	Subtense(mm)
	0	M5"	9
	-6A	1/8"	13
	-8A	1/4"	17
	-10A	3/8"	22
	-15A	1/2"	24
	-20A	3/4"	30
	-25A	1"	36
	-32A	1-1/4"	46
	-40A	1-1/2"	52
	-50A	2"	64

QXS SCQ Type Series Muffler -- Steel Copper Plating Feet

	Specification	Screw Thread Size	Subtense(mm)
	SCQ-6	1/8"	7
	SCQ-8	1/4"	8
	SCQ-10	3/8"	10
	SCQ-15	1/2"	14

B Type Series Muffler

	Specification	Screw Thread Size	Subtense(mm)
	-6B	1/8"	12
	-8B	1/4"	15
	-10B	3/8"	19
	-15B	1/2"	22
	-20B	3/4"	27
	-25B	1"	36

QXS SC Type Series Muffler -- Steel Copper Plating Feet

	Specification	Screw Thread Size	Subtense(mm)
	SC-6	1/8"	12
	SC-8	1/4"	15
	SC-10	3/8"	19
	SC-15	1/2"	23
	SC-20	3/4"	30
	SC-25	1"	35

SEB Type Series Muffler -- Steel Copper Plating Feet

	Specification	Screw Thread Size	Subtense(mm)
	SEB-7	1/8"	12
	SEB-9.5	1/4"	15
	SEB-12.5	3/8"	19
	SEB-15.5	1/2"	23
	SEB-20.5	3/4"	30
	SEB-26	1"	36

SEB-A-1 Type Silencer -- Sintered and Plated the Nickel Wholly

	Specification	Screw Thread Size	The Total Length	Subtense
		NPT	mm	mm
	SET-7	1/8"	24	12
	SET-9.5	1/4"	33	15
	SET-12.5	3/8"	42.5	19
	SET15.5	1/2"	50	23
	SET-20.5	3/4"	63	30
	SET26	1"	78	35

Series Muffler -- P2

SEB-B-1 Type Silencer -- Riveted and Plated the Nickel Wholly

	Specification	Screw Thread Size	The Total Length	Subtense
		NPT	mm	mm
	SET-7	1/8"	24	12
	SEB-9.5	1/4"	33	15
	SEB-12.5	3/8"	42.5	19
	SEB-15.5	1/2"	50	21
	SEB-20.5	3/4"	63	30
	SEB25	1"	78	35

SEB-B-2 Type Silencer -- Riveted Wholly with Plating the Color Zinc Coupler

	Specification	Screw Thread Size	The Total Length	Subtense
		NPT	mm	mm
	SET-6	1/8"	22.5	11
	SEB-8	1/4"	33	14
	SEB-10	3/8"	38	17
	SEB-15	1/2"	50	22
	SEB-21	3/4"	57	27
	SEB-25	1"	74	33

SET Type Series Muffler -- Steel Copper Plating Feet

	Specification	Screw Thread Size	Subtense(mm)
	SET-7	1/8"	8
	SET-9.5	1/4"	10
	SET-12.5	3/8"	13
	SET-15.5	1/2"	15
	SET-22	3/4"	19
	SET-28	1"	24

V Type Series Muffler

	Specification	Screw Thread Size	Subtense(mm)
	0	M5"	7
	-6V	1/8"	12
	-8V	1/4"	15
	-10V	3/8"	19
	-15V	1/2"	22
	-20V	3/4"	30
	-25V	1"	36

V-1 Type Silencer with Plating the Color Zinc Coupler

	Specification	Screw Thread Size	The Total Length	Subtense
		SPT	mm	mm
	-6V	1/8"	12	11
	-8.5V	1/4"	17	14
	-11.5V	3/8"	20.5	17
	-14.5V	1/2"	25	22
	-20V	3/4"	27	27
	-25V	1"	34	33

V-2 Type Silencer with Plating the Color Zinc Coupler

	Specification	Screw Thread Size	The Total Length	Subtense
		SPT	mm	mm
	-6V	1/8"	18	14
	-8V	1/4"	20.5	17
	-10V	3/8"	25	22
	15V	1/2"	26	27

Series Muffler -- P3

E Type Series Muffler

	Specification	Screw Thread Size	Subtense(mm)
	-6E	1/8"	13
	-8E	1/4"	17
	-10E	3/8"	22
	-15E	1/2"	27
	-20E	3/4"	32
	-25E	1"	41

DT Type Series Muffler

	Specification	Screw Thread Size	Φmm
	DT-6	1/8"	7
	DT-8	1/4"	9
	DT-10	3/8"	13
	DT-15	1/2"	17
	DT-20	3/4"	19
	DT-25	1"	22

Inserting Type Silencer

	Specification	ΦD × Φd
	B15	10×2.5
	B16	13×3
	B17	13×4
	B18	17×6

D Type Series Muffler

	Specification	Screw Thread Size	Φmm
	-6D	1/8"	8
	-8D	1/4"	10
	-10D	3/8"	15
	-15D	1/2"	19
	-20D	3/4"	20
	-25D	1"	27

G Type Series Muffler

	Specification	Screw Thread Size	Φmm
	S5	1/4"	10
	Φ8×64	1/4"	8
	Φ7×60	1/8"	7
	Φ12×32	1/8"	12

SD Type Of Timing Muffler

	Specification	Screw Thread Size	Φmm
	SD-6	1/8"	12
	SD-8	1/4"	15
	SD-10	3/8"	19
	SD-15	1/2"	22
	SD-20	3/4"	27
	SD-25	1"	34

Series Muffler -- P4

B Type Exhaust Muffling Throttle Valve

	Specification	Screw Thread Size	Φmm
	B-6	1/8"	12
	B-8	1/4"	14
	B-10	3/8"	17
	B-15	1/2"	24
	B-20	3/4"	27
	B-25	1"	34

PDK Exhaust Muffling Throttle Valve

	Specification	Screw Thread Size	Subtense(mm)
	PDK-6	1/8"	13
	PDK-8	1/4"	14
	PDK-10	3/8"	17
	PDK-15	1/2"	22
	PDK-20	3/4"	27
	PDK-25	1"	34

C Type Exhaust Muffling Throttle Valve

	Specification	Screw Thread Size	Subtense(mm)
	C-6	1/8"	13
	C-8	1/4"	14
	C-10	3/8"	17
	C-15	1/2"	22
	C-20	3/4"	27
	C-25	1"	34

A Type Exhaust Muffling Throttle Valve

	Specification	Screw Thread Size	Subtense(mm)
	A-6	1/8"	13
	A-8	1/4"	15
	A-10	3/8"	17
	A-15	1/2"	24
	A-20	3/4"	27
	A-25	1"	34

Round Spline Silencer

	Specification	Screw Thread Size	Φmm
		1/8"	12

"—" Flute Type Airflow Cap

	Specification	Screw Thread Size	Φmm
	-6M	1/8"	12
	-8M	1/4"	15
	-10M	3/8"	20

Series Muffler -- P5				
SU Type Plastic Muffler				
	Specification	Screw Thread Size	Φmm	
	SU-6	1/8"	16	
	SU-8	1/4"	20	
	SU-10	3/8"	24	
	SU-15	1/2"	24	
PSU Type Plastic Silencer				
	Specification	Screw Thread Size	The Total Length	Subtense
		G-M	mm	mm
	PSU	M5	18	
	PSU-6	G1/8"	41	14
	PSU-8	G1/4"	64	18
	PSU-10	G3/8"	84	22
	PSU-15	G1/2"	94	26
8200 Series Filter		8300 Series Filter		
				
8400 8500 Series Filter		8600 Series Filter		
				
8700 Series Filter		8800 Series Filter		
				
Filtration Disco		Square Filter		
				

Series Muffler -- P6			
Seg Type Filter		Ring Type Filter	
			
547 Series Filtration Disco		Plastic Porous Filter	
			
Stainless Steel Filtration Disco		Stainless Steel Filter	
			
Stainless Steel Muffler		SS Silencers For Flashback Arrestor	
	Specification	Screw Thread Size	Subtense(mm)
	CR-6	1/8"	14
	CR-8	1/4"	17
	CR-10	3/8"	20
	CR-15	1/2"	24
	CR-20	3/4"	30
	CR-25	1"	36
			
SS P/M Raps			
			
Shanghai Tecmetal Import and Export Co., LTD  2000-2004 Copyright reserved!			